

Fabric swatch card — single jersey knit

Printable A4 reference card. Print at 100% scale, no fit-to-page.



Reference data

Construction
Weft knit, single jersey

Typical GSM
140 – 200 g/m2

Stretch
40 – 60% width, low length

Shrinkage to expect
4 – 7% length after 3 washes

Needle
Ball point 70/10 – 80/12

Tape your physical swatch here (10 x 10 cm) and record the lot below.

Supplier	
Lot / batch	
GSM measured	
Shrink wash %	
Colour fastness	

Before bulk cutting, check

- Shrinkage after 3 home washes, length and width recorded separately
- Skew / bow measured across full fabric width, not just the edge
- Needle damage test on the actual machine and needle size
- Seam slippage or grin-through on the intended stitch
- Shade continuity between rolls, lot to lot